Neuroscience Letters, 222 (1997) 213–215
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Adachi, N., see Lei, B., 91
Aldskogius, H., see Counter, S.A., 199
Amaducci, L., see Sorbi, S., 132
Andrew, C., Pfurtscheller, G., On the existence of different alpha band rhythms in the hand area of man, 103
Arai, T., see Lei, B., 91
Atkinson, P.F., see Tysoe, C., 68

Bayatti, N.N., see Mann, D.M.A., 57
Beagley, G.H., Cobbett, P., Inhibition of nitric oxide synthase induces ultrastructural changes in the neurohypophysis of dehydrated rats, 143
Bizot, J.C., see Deschaux, O., 159
Blok, B.F.M., Holstege, G., Ultrastructural evidence for a direct pathway from the pontine micturition center to the parasympathetic preganglionic motoneurons of the bladder of the cat, 195
Bombelli, R., see Cosentino, M., 75
Bonnet, C., see Léger, L., 155
Borchelt, M., see Geßner, R., 29
Borg, E., see Counter, S.A., 199
Brown, B.S., see Lampe, B.J., 135
Buchan, A., see Ladic, L., 41
Burger, J.E., see Rasmussen, K., 61

Cairns, N., see Schneider, C., 183
Cairns, N.J., see Tysoe, C., 68
Canlon, B., see Counter, S.A., 199
Cespuglio, R., see Léger, L., 155
Chang, Y.T., Hyland, K., Mues, G., Marsh, J.L., Human hair follicles as a peripheral source of tyrosine hydroxylase and aromatic L-amino acid decarboxylase mRNA, 210
Chaouloff, F., see Kulikov, A., 127
Chen, S.-C., see Wu, F.-S., 79
Chun, S.W., see Kim, M.S., 171
Cobbett, P., see Beagley, G.H., 143
Cosentino, M., Marino, F., Bombelli, R., Ferrari, M., Rasini, E., Giaroni, C., Lecchini, S., Frigo, G., Modulation of neurotransmitter release by opioid μ and κ-receptors from adrenergic terminals in the myenteric plexus of the guinea-pig colon: effect of α_2-autoreceptor blockade, 75
Counter, S.A., Canlon, B., Borg, E., Aldskogius, H., Pattern of synaptophysin immunoreactivity in the efferent nerve terminals of the guinea pig cochlea, 199
Craddock, N.J., see Lendon, C.L., 187
Cruccu, G., Leardi, M.G., Ferracuti, S., Manfredi, M., Corneal reflex responses to mechanical and electrical stimuli in coma and narcotic analgesia in humans, 33
Czachura, J.F., see Rasmussen, K., 61

Daprati, E., see Gentilucci, M., 123
Davis, A.M., see Shimoyama, N., 65
De Anna, E., see Pestarino, M., 151
Del Bigio, M.R., see Ye, J., 9
Deschaux, O., Bizot, J.C., Goyffon, M., Apamin improves learning in an object recognition task in rats, 159
Deslauriers, R., see Ye, J., 9
Dewhurst, M., see Garrett, N.E., 191
Dudek, F.E., see Smith, B.N., 1

Elliott, K.J., see Shimoyama, N., 65

Ferracuti, S., see Cruccu, G., 33
Ferrari, M., see Cosentino, M., 75
Filipović, S.R., Ljubisavljević, M., Svetel, M., Milanović, S., Kačar, A., Kostić, V.S., Impairment of cortical inhibition in writer's cramp as revealed by changes in electromyographic silent period after transcranial magnetic stimulation, 167
Finn, D.M., Ohlendieck, K., Rabbit brain and muscle isoforms containing the carboxy-terminal domain of 427 kDa skeletal muscle dystrophin exhibit similar biochemical properties, 25
Forleo, P., see Sorbi, S., 132
Frigo, G., see Cosentino, M., 75
Fujii, N., see Tsuzuki, K., 163
Fukatsu, R., see Tsuzuki, K., 163
Fukui, K., see Kawakami, F., 99
Furutama, D., see Nakajima, H., 83
Futerman, A.H., see Samuel, N., 179

Gangitano, M., see Gentilucci, M., 123
Garrett, N.E., Malcangio, M., Dewhurst, M., Tomlinson, D.R., α-Lipoic acid corrects neuropeptide deficits in diabetic rats via induction of trophic support, 191
Gaskill, J.L., see Lampe, B.J., 135
Gates, M.R., see Rasmussen, K., 61
Geiselmann, B., see Geßner, R., 29
Gentilucci, M., Daprati, E., Gangitano, M., Toni, I., Eye position tunes the contribution of allocentric and egocentric information to target localization in human goal-directed arm movements, 123
Geßner, R., Reischies, F.M., Kage, A., Geiselmann, B., Borchelt, M., Steinhagen-Thiessen, E., Köttgen, E., In an epidemiological sample the apolipoprotein E4 allele is associated to dementia and loss of memory function only in the very old, 29
Giaroni, C., see Cosentino, M., 75
Goate, A.M., see Lendon, C.L., 187
Goyffon, M., see Deschaux, O., 159
Greenberg, D.A., see Sasahira, M., 207

Hampton, R.R., see Mrosovsky, N., 204
Han, S.W., see Lendon, C.L., 187
Hanoune, J., see Shishido, T., 175
Hari, R., see Lehtelä, L., 111
Harrington, C.R., see Tysoe, C., 68
Hayashi, Y., see Tsuzuki, K., 163
Heil, M., Rösler, F., Hennighausen, E., Topography of brain electrical activity dissociates the retrieval of spatial versus verbal information from episodic long-term memory in humans, 45
Hennighausen, E., see Heil, M., 45
Holstege, G., see Blok, B.F.M., 195
Honma, K.-i., see Yoshihara, T., 95
Honma, S., see Yoshihara, T., 95
Hui-Chan, C.W.Y., see Paquet, N., 13
Hyland, K., see Chang, Y.T., 210

Ibata, Y., see Kawakami, F., 99
Ikemoto, T., see Nakajima, H., 83
Inturrisi, C.E., see Shimoyama, N., 65
Irving, N.G., Miller, C.C.J., Tau phosphorylation in cells transfected with wild-type or an Alzheimer's disease mutant Presenilin 1, 71

Isaacson, L.G., Mareska, M., Nixdorf, W., Oris, J.T., Dose-dependent response of mature cerebrovascular axons in vivo following intracranial infusion of nerve growth factor, 21
Iwatsubo, T., see Mann, D.M.A., 57

Jin, B.K., see Kim, M.S., 171
Jin, G.Z., see Wu, J., 115

Kačar, A., see Filipović, S.R., 167
Kage, A., see Geßner, R., 29
Kanfer, J.N., see Singh, I.N., 5
Kasahara, M., see Mizutani, T., 119
Kato, K., see Shishido, T., 175
Kato, S., see Nakajima, H., 83
Kavaliers, M., see Thomas, A.W., 107
Kawakami, F., Okamura, H., Tamada, Y., Maebayashi, Y., Fukui, K., Ibata, Y., Loss of day-night differences in VIP mRNA levels in the suprachiasmatic nucleus of aged rats, 99
Keim, S.C., see Lampe, B.J., 135
Kim, J.H., see Kim, M.S., 171
Kim, M.S., Jin, B.K., Chun, S.W., Lee, M.Y., Lee, S.H., Kim, J.H., Park, B.R., Role of vestibulocerebellar *N*-methyl-D-aspartate receptors for behavioral recovery following unilateral labyrinthectomy in rats, 171
Kimura, F., see Mizuno, T., 49
Kimura, F., see Nakajima, H., 83
Kirchner, L., see Schneider, C., 183
Kitzmüller, E., see Schneider, C., 183
Kostić, V.S., see Filipović, S.R., 167
Köttgen, E., see Geßner, R., 29
Kulikov, A., Mormède, P., Chaouloff, F., Effects of adrenalectomy and corticosterone replacement on diurnal [^{3}H]citalopram binding in rat midbrain, 127

Ladic, L., Buchan, A., Comparison of the spatial distribution of endopeptidase-24.11 with substance P, substance P receptor (NK-1r) and gastric efferent neurons in the dorsal vagal complex of the rat, 41
Lampe, B.J., Gaskill, J.L., Keim, S.C., Brown, B.S., Linopirdine reduces stimulus intensity threshold for induction of long-term potentiation in the Schaffer collateral/CA1 pathway in rat hippocampal slices, 135
Latorraca, S., see Sorbi, S., 132
Lavikainen, J., Tiitinen, H., May, P., Näätänen, R., Binaural interaction in the human brain can be non-invasively accessed with long-latency event-related potentials, 37
Leardi, M.G., see Cruccu, G., 33
Lecchini, S., see Cosentino, M., 75
Lee, M.Y., see Kim, M.S., 171
Lee, S.H., see Kim, M.S., 171
Léger, L., Zheng, Z., Bonnet, C., Cespuglio, R., Ultrastructural relationships of the pro-opiomelanocortin axons with the serotoninergic neurons in the dorsal raphe nucleus of the rat, 155
Lehtelä, L., Salmelin, R., Hari, R., Evidence for reactive magnetic 10-Hz rhythm in the human auditory cortex, 111
Lei, B., Adachi, N., Arai, T., The effect of hypothermia on H_2O_2 production during ischemia and reperfusion: a microdialysis study in the gerbil hippocampus, 91
Lendon, C.L., Talbot, C.J., Craddock, N.J., Han, S.W., Wragg, M., Morris, J.C., Goate, A.M., Genetic association studies between dementia of the Alzheimer's type and three receptors for apolipoprotein E in a Caucasian population, 187
Li, H., Mizuno, N., Collateral projections from single neurons in the dorsal column nucleus to both the cochlear nucleus and the ventrobasal thalamus: a retrograde double-labeling study in the rat, 87
Li, H., Nomura, S., Mizuno, N., Binding of the isolectin I-B4 from *Griffonia simplicifolia* to the general visceral afferents in the vagus nerve: a light- and electron-microscope study in the rat, 53
Lindstrom, J., see Samuel, N., 179
Ljubisavljević, M., see Filipović, S.R., 167
Lubec, G., see Schneider, C., 183

Maebayashi, Y., see Kawakami, F., 99
Malcangio, M., see Garrett, N.E., 191
Manfredi, M., see Cruccu, G., 33
Mann, D.M.A., Pickering-Brown, S.M., Bayatti, N.N., Wright, A.E., Owen, F., Iwatsubo, T., Saido, T.C., An intronic polymorphism in the presenilin-1 gene does not influence the amount or molecular form of the amyloid β protein deposited in Alzheimer's disease, 57
Mareska, M., see Isaacson, L.G., 21
Marino, F., see Cosentino, M., 75
Marsh, J.L., see Chang, Y.T., 210
Masini, M.A., see Pestarino, M., 151
Matsuoka, I., see Shishido, T., 175
May, P., see Lavikainen, J., 37
Milanović, S., see Filipović, S.R., 167
Miller, C.C.J., see Irving, N.G., 71
Mitome, M., see Yoshihara, T., 95
Mizuno, N., see Li, H., 53
Mizuno, N., see Li, H., 87
Mizuno, T., Kimura, F., Attenuated stress response of hippocampal acetylcholine release and adrenocortical secretion in aged rats, 49
Mizutani, T., Kasahara, M., Hippocampal atrophy secondary to entorhinal cortical degeneration in Alzheimer-type dementia, 119
Mormède, P., see Kulikov, A., 127
Morris, J.C., see Lendon, C.L., 187
Mrosovsky, N., Hampton, R.R., Spatial responses to light in mice with severe retinal degeneration, 204
Mues, G., see Chang, Y.T., 210

Näätänen, R., see Lavikainen, J., 37
Nacmias, B., see Sorbi, S., 132
Nakagawa, T., see Nakajima, H., 83
Nakajima, H., Kimura, F., Nakagawa, T., Ikemoto, T., Furutama, D., Shinoda, K., Kato, S., Shimizu, A., Ohsawa, N., Effects of androgen receptor polyglutamine tract expansion on proliferation of NG108–15 cells, 83
Niwa, S.-I., see Shishido, T., 175
Nixdorf, W., see Isaacson, L.G., 21
Nomura, S., see Li, H., 53

Ohlendieck, K., see Finn, D.M., 25
Ohsawa, N., see Nakajima, H., 83
Okamura, H., see Kawakami, F., 99
Oris, J.T., see Isaacson, L.G., 21
Ossenkopp, K.-P., see Thomas, A.W., 107
Owen, F., see Mann, D.M.A., 57

Paquet, N., Hui-Chan, C.W.Y., Extensor muscle responses to tibial nerve stimulation are enhanced during dynamic tilts in standing humans, 13
Park, B.R., see Kim, M.S., 171

Pestarino, M., De Anna, E., Masini, M.A., Sturla, M., Localization of interleukin-1β mRNA in the cerebral ganglion of the protochordate, *Styela plicata*, 151
Pfurtscheller, G., see Andrew, C., 103
Piacentini, S., see Sorbi, S., 132
Pickering-Brown, S.M., see Mann, D.M.A., 57
Prast, H., see Schneider, C., 183
Prato, F.S., see Thomas, A.W., 107

Rasini, E., see Cosentino, M., 75
Rasmussen, K., Gates, M.R., Burger, J.E., Czachura, J.F., The novel atypical antipsychotic olanzapine, but not the CCK-B antagonist LY288513, blocks apomorphine-induced disruption of pre-pulse inhibition, 61
Reischies, F.M., see Geßner, R., 29
Risser, D., see Schneider, C., 183
Rösler, F., see Heil, M., 45
Rubinsztein, D.C., see Tysoe, C., 68

Saido, T.C., see Mann, D.M.A., 57
Salerno, T.A., see Ye, J., 9
Salmelin, R., see Lehtelä, L., 111
Samuel, N., Wonnacott, S., Lindstrom, J., Futerman, A.H., Parallel increases in [α-^{125}I]bungarotoxin binding and α7 nicotinic subunit immunoreactivity during the development of rat hippocampal neurons in culture, 179
Sasahira, M., Simon, R.P., Greenberg, D.A., Neuronal injury in experimental status epilepticus in the rat: role of hypoxia, 207
Sasaki, N., see Tsuzuki, K., 163
Schneider, C., Risser, D., Kirchner, L., Kitzmüller, E., Cairns, N., Prast, H., Singewald, N., Lubec, G., Similar deficits of central histaminergic system in patients with Down syndrome and Alzheimer disease, 183
Schneider, J.S., Preservation of autoreceptor-mediated increases in dopamine synthesis in aged mice with experimentally-induced parkinsonism, 138
Shimizu, A., see Nakajima, H., 83
Shimoyama, M., see Shimoyama, N., 65
Shimoyama, N., Shimoyama, M., Davis, A.M., Inturrisi, C.E., Elliott, K.J., Spinal gabapentin is antinociceptive in the rat formalin test, 65
Shinoda, K., see Nakajima, H., 83
Shishido, T., Watanabe, Y., Suzuki, H., Kato, K., Niwa, S.-I., Hanoune, J., Matsuoka, I., Effects of repeated methamphetamine administration on dopamine D1 receptor, D2 receptor and adenylate cyclase type V mRNA levels in the rat striatum, 175
Simon, R.P., see Sasahira, M., 207
Singewald, N., see Schneider, C., 183
Singh, I.N., Sorrentino, G., Sitar, D.S., Kanfer, J.N., Indomethacin and nordihydroguaiaretic acid inhibition of amyloid β protein (25–35) activation of phospholipases A_2 and D of LA-N-2 cells, 5
Sitar, D.S., see Singh, I.N., 5
Smith, B.N., Dudek, F.E., Enhanced population responses in the basolateral amygdala of kainate-treated, epileptic rats in vitro, 1
Sorbi, S., Nacmias, B., Tedde, A., Forleo, P., Piacentini, S., Latorraca, S., Amaducci, L., Presenilin-1 gene intronic polymorphism in sporadic and familial Azheimer's disease, 132
Sorrentino, G., see Singh, I.N., 5
Steinhagen-Thiessen, E., see Geßner, R., 29
Sturla, M., see Pestarino, M., 151
Summers, R., see Ye, J., 9
Suzuki, H., see Shishido, T., 175
Svetel, M., see Filipovic, S.R., 167

Takahata, N., see Tsuzuki, K., 163
Takamaru, Y., see Tsuzuki, K., 163
Talbot, C.J., see Lendon, C.L., 187
Tamada, Y., see Kawakami, F., 99
Tateno, M., see Tsuzuki, K., 163
Tedde, A., see Sorbi, S., 132
Thomas, A.W., Kavaliers, M., Prato, F.S., Ossenkopp, K.-P., Antinociceptive effects of a pulsed magnetic field in the land snail, *Cepaea nemoralis*, 107
Tiitinen, H., see Lavikainen, J., 37
Toda, N., see Yoshida, K., 147
Tomlinson, D.R., see Garrett, N.E., 191
Toni, I., see Gentilucci, M., 123
Tsuzuki, K., Fukatsu, R., Hayashi, Y., Yoshida, T., Sasaki, N., Takamaru, Y., Yamaguchi, H., Tateno, M., Fujii, N., Takahata, N., Amyloid β protein and transthyretin, sequestrating protein colocalize in normal human kidney, 163
Tysoe, C., Whittaker, J., Cairns, N.J., Atkinson, P.F., Harrington, C.R., Xuereb, J., Wilcock, G., Rubinsztein, D.C., Presenilin-1 intron 8 polymorphism is not associated with autopsy-confirmed late-onset Alzheimer's disease, 68

Watanabe T., Apoptosis induced by glufosinate ammonium in the neuroepithelium of developing mouse embryos in culture, 17
Watanabe, Y., see Shishido, T., 175
Whittaker, J., see Tysoe, C., 68
Wilcock, G., see Tysoe, C., 68
Wonnacott, S., see Samuel, N., 179
Wragg, M., see Lendon, C.L., 187
Wright, A.E., see Mann, D.M.A., 57
Wu, F.-S., Chen, S.-C., Mechanism underlying the effect of pregnenolone sulfate on the kainate-induced current in cultured chick spinal cord neurons, 79
Wu, J., Jin, G.Z., Tetrahydroberberine inhibits acetylcholine-induced K^+ current in acutely dissociated rat hippocampal CA1 pyramidal neurons, 115

Xuereb, J., see Tysoe, C., 68

Yamaguchi, H., see Tsuzuki, K., 163
Yang, L., see Ye, J., 9
Ye, J., Yang, L., Del Bigio, M.R., Summers, R., Salerno, T.A., Deslauriers, R., The effect of circulatory arrest and retrograde cerebral perfusion on microtubule-associated protein 2: an immunohistochemical study in pig hippocampus, 9
Yoshida, K., Toda, N., Colocalization of acetylcholinesterase and vasoactive intestinal peptide (VIP) in nicotinamide adenine dinucleotide phosphate diaphorase (NADPH-d) positive neurons in the intralingual ganglia and perivascular nerve fibers around lingual arteries in the porcine, monkey and canine tongue, 147
Yoshida, T., see Tsuzuki, K., 163
Yoshihara, T., Honma, S., Mitome, M., Honma, K.-i., Independence of feeding-associated circadian rhythm from light conditions and meal intervals in SCN lesioned rats, 95

Zheng, Z., see Léger, L., 155